Mathlete Training Centre 2023 AMC 12B

1. Mrs. Jones is pouring orange juice into four identical glasses for her four sons. She fills the first three glasses completely but runs out of juice when the fourth glass is only $\frac{1}{3}$ full. What fraction of a glass must Mrs. Jones pour from each of the first three glasses into the fourth glass so that all four glasses will have the same amount of juice?

- (C) $\frac{1}{6}$ (D) $\frac{1}{8}$ (E) $\frac{2}{9}$

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 B1-B1

2. Carlos went to a sports store to buy running shoes. Running shoes were on sale, with prices reduced by 20% on every pair of shoes. Carlos also knew that he had to pay a 7.5% sales tax on the discounted price. He had 43 dollars. What is the original (before discount) price of the most expensive shoes he could afford to buy?

Page: 1 of 13

- (A) 46 (B) 50 (C) 48 (D) 47 (E) 49

- 3. A 3-4-5 right triangle is inscribed in circle A, and a 5-12-13 right triangle is inscribed in circle B. What is the ratio of the area of circle A to the area of circle B?
 - (A) $\frac{9}{25}$

- (B) $\frac{1}{9}$ (C) $\frac{1}{5}$ (D) $\frac{25}{169}$
- (E) $\frac{4}{25}$

Mathlete training centre

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

- 4. Jackson's paintbrush makes a narrow strip with a width of 6.5 millimeters. Jackson has enough paint to make a strip 25 meters long. How many square centimeters of paper could Jackson cover with paint?
 - (A) 162,500
- (B) 162.5
- (C) 1,625
- **(D)** 1,625,000
- (E) 16, 250

Mathlete training cen

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 2 of 13

- 5. You are playing a game. A 2 × 1 rectangle covers two adjacent squares (oriented either horizontally or vertically) of a 3×3 grid of squares, but you are not told which two squares are covered. Your goal is to find at least one square that is covered by the rectangle. A "turn" consists of you guessing a square, after which you are told whether that square is covered by the hidden rectangle. What is the minimum number of turns you need to ensue that at least one of your guessed squares is covered by the rectangle?
 - (A) 3
- (B) 5
- (C) 4
- (D) 8
- (E) 6

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 B1-131

6. When the roots of the polynomial.

$$P(x) = (x-1)^{1}(x-2)^{2}(x-3)^{3} \cdot \cdot \cdot (x-10)^{10}$$

are removed from the number line, what remains is the union of 11 disjoint open intervals. On how many of these intervals is P(x) positive?

(A) 3 (B) 4 (C) 5 (D) 6 (E) 7

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 3 of 13

7. For how many integers n does the expression

$$\sqrt{\frac{\log(n^2) - (\log n)^2}{\log n - 3}}$$

represent a real number, where log denotes the base 10 logarithm?

- (A) 900
- **(B)** 2
- (C) 902
- **(D)** 2
- (E) 901

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 B1-131

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

8. How many nonempty subsets B of $\{0, 1, 2, 3, \ldots, 12\}$ have the property that the number of elements in B is equal to the least element of B? For example, $B = \{4, 6, 8, 11\}$ satisfies the condition.

(A) 256 (B) 136 (C) 108 (D) 144 (E) 156

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

9. What is the area of the region in the coordinate plane defined by

$$||x| - 1| + ||y| - 1| \le 1?$$

- (A) 4
- **(B)** 8 **(C)** 10
- **(D)** 12
- **(E)** 15

MATHLETE TRAINING CENTRE

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 B1-B1

- 10. In the xy-plane, a circle of radius 4 with center on the positive x-axis is tangent to the y-axis at the origin, and a circle with radius 10 with center on the positive y-axis is tangent to the x-axis at the origin. What is the slope of the line passing through the two points at which these circles intersect?

- (A) $\frac{2}{7}$ (B) $\frac{3}{7}$ (C) $\frac{2}{\sqrt{29}}$ (D) $\frac{1}{\sqrt{29}}$ (E) $\frac{2}{5}$

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 5 of 13

- 11. What is the maximum area of an isosceles trapezoid that has legs of length 1 and one base twice as long as the other?
 - (A) $\frac{5}{4}$
- (B) $\frac{8}{7}$
- (C) $\frac{5\sqrt{2}}{4}$ (D) $\frac{3}{2}$ (E) $\frac{3\sqrt{3}}{4}$

MATHLETE TRAINING CENTRE

12. For complex numbers u = a + bi and v = c + di, define the binary operation \otimes by

$$u \otimes v = ac + bdi$$
.

Suppose z is a complex number such that $z \otimes z = z^2 + 40$. What is |z|?

- (A) 2
- (B) 5
- (C) $\sqrt{5}$
- (D) $\sqrt{10}$
- (E) $5\sqrt{2}$

Mathlete training centre

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 6 of 13

- 13. A rectangular box P has distinct edge lengths a, b, and c. The sum of the lengths of all 12 edges of P is 13, the sum of the areas of all 6 faces of P is $\frac{11}{2}$, and the volume of P is $\frac{1}{2}$. What is the length of the longest interior diagonal connecting two vertices of P?
 - (A) 2
- (B) $\frac{3}{8}$

- (C) $\frac{9}{8}$ (D) $\frac{9}{4}$ (E) $\frac{3}{2}$

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-I31

- 14. For how many ordered pairs (a, b) of integers does the polynomial $x^3 + ax^2 + bx + 6$ have 3 distinct integer roots?
 - (A) 5
- (B) 6
- (C) 8
- (D) 7
- (E) 4

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 7 of 13

15. Suppose a, b, and c are positive integers such that

$$\frac{a}{14} + \frac{b}{15} = \frac{c}{210}.$$

Which of the following statements are necessarily true?

- I. If gcd(a, 14) = 1 or gcd(b, 15) = 1 or both, then gcd(c, 210) = 1.
- II. If gcd(c, 210) = 1, then gcd(a, 14) = 1 or gcd(b, 15) = 1 or both.
- III. gcd(c, 210) = 1 if and only if gcd(a, 14) = gcd(b, 15) = 1.
- (A) I, II, and III (B) I only (C) I and II only (D) III only (E) II and III

PERSEVERANCE RICOR DEDICATION 224 RISHAN STREET 23 RI-13

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

- 16. In Coinland, there are three types of coins, each worth 6, 10, and 15. What is the sum of the digits of the maximum amount of money that is impossible to have?
 - **(A)** 8
- **(B)** 10
- (C) 7
- (D) 11
- **(E)** 9

Training centre

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 8 of 13

- 17. Triangle ABC has side lengths in arithmetic progression, and the smallest side has length 6. If the triangle has an angle of 120° , what is the area of ABC?
 - **(A)** $12\sqrt{3}$
- **(B)** $8\sqrt{6}$
- (C) $14\sqrt{2}$
- (D) $20\sqrt{2}$
- **(E)** $15\sqrt{3}$

Perseverance Rigor Dedication 224 Bishan Street 23 B1-I31

MATHLETE TRAINING CENTRE

- 18. Last academic year Yolanda and Zelda took different courses that did not necessarily administer the same number of quizzes during each of the two semesters. Yolanda's average on all the quizzes she took during the first semester was 3 points higher than Zelda's average on all the quizzes she took during the first semester. Yolanda's average on all the quizzes she took during the second semester was 18 points higher than her average for the first semester and was again 3 points higher than Zelda's average on all the quizzes Zelda took during her second semester. Which one of the following statements cannot possibly be true?
 - (A) Yolanda's quiz average for the academic year was 22 points higher than Zelda's.
 - (B) Zelda's quiz average for the academic year was higher than Yolanda's.
 - (C) Yolanda's quiz average for the academic year was 3 points higher than Zelda's.
 - (D) Zelda's quiz average for the academic year equaled Yolanda's.
 - (E) If Zelda had scored 3 points higher on each quiz she took, then she would have had the same average for the academic year as Yolanda.

Page: 9 of 13

- 19. Each of 2023 balls is placed in one of 3 bins. Which of the following is closest to the probability that each of the bins will contain an odd number of balls?
 - (A) $\frac{2}{3}$
- (B) $\frac{3}{10}$ (C) $\frac{1}{2}$ (D) $\frac{1}{3}$
- $(\mathbf{E})^{\frac{1}{4}}$

MATHLETE TRAINING CENTRE

- 20. Cyrus the frog jumps 2 units in a direction, then 2 more in another direction. What is the probability that he lands less than 1 unit away from his starting position?

- (A) $\frac{1}{6}$ (B) $\frac{1}{5}$ (C) $\frac{\sqrt{3}}{8}$ (D) $\frac{\arctan \frac{1}{2}}{\pi}$ (E) $\frac{2\arcsin \frac{1}{4}}{\pi}$

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 10 of 13

21. A lampshade is made in the form of the lateral surface of the frustum of a right circular cone. The height of the frustum is $3\sqrt{3}$ inches, its top diameter is 6 inches, and its bottom diameter is 12 inches. A bug is at the bottom of the lampshade and there is a glob of honey on the top edge of the lampshade at the spot farthest from the bug. The bug wants to crawl to the honey, but it must stay on the surface of the lampshade. What is the length in inches of its shortest path to the honey?



(A) $6 + 3\pi$

(B) $6 + 6\pi$

(C) $6\sqrt{3}$

(D) $6\sqrt{5}$

(E) $6\sqrt{3} + \pi$

Mathlete training cei

Perseverance Rigor Dedication 224 Bishan Street 23 B1-B1

22. A real-valued function f has the property that for all real numbers a and b,

f(a+b)+f(a-b)=2f(a)f(b). Which one of the following cannot be the value of f(1)? (A) 0 (B) 1 (C) -1 (D) 2 (E) -2

- 23. When n standard six-sided dice are rolled, the product of the numbers rolled can be any of 936 possible values. What is n?
 - (A) 6
- (B) 8
- **(C)** 9
- **(D)** 10
- **(E)** 11

Perseverance Rigor Dedication 224 Bishan Street 23 B1-131

MATHLETE TRAINING CENTRE

24. Suppose that a, b, c and d are positive integers satisfying all of the following relations.

$$abcd = 2^6 \cdot 3^9 \cdot 5^7$$

$$lcm(a,b) = 2^3 \cdot 3^2 \cdot 5^3$$

$$\operatorname{lcm}(a,c) = 2^3 \cdot 3^3 \cdot 5^3$$

$$lcm(a,d) = 2^3 \cdot 3^3 \cdot 5^3$$

 $\operatorname{lcm}(b,c) = 2^1 \cdot 3^3 \cdot 5^2$ $\operatorname{lcm}(b,d) = 2^2 \cdot 3^3 \cdot 5^2$

$$lcm(c,d) = 2^2 \cdot 3^3 \cdot 5^2$$

What is gcd(a, b, c, d)?

- **(A)** 30
- (B) 45
- (C) 3
- (D) 15
- (E) 6

Page: 12 of 13

- 25. A regular pentagon with area $\sqrt{5}+1$ is printed on paper and cut out. The five vertices of the pentagon are folded into the center of the pentagon, creating a smaller pentagon. What is the area of the new pentagon?
 - (A) $4 \sqrt{5}$
- (B) $\sqrt{5} 1$ (C) $8 3\sqrt{5}$ (D) $\frac{\sqrt{5}+1}{2}$ (E) $\frac{2+\sqrt{5}}{3}$

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-I31

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131

Page: 13 of 13

Perseverance Rigor Dedication 224 Bishan Street 23 B1-I31

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-I31

MATHLETE TRAINING CENTRE

Perseverance Rigor Dedication 224 Bishan Street 23 BI-131